USER'S MANUAL

3.5" Type
USB 2.0+1394 HARD DISK BOX ENCLOSURE

Index	Page

Introduction…… 2
Features &Specification…… 2
Requirements…… 2
Package contents…… 3
Hardware Installation…… 4
Software Installation…… 7

This Product is achieve the USB 2.0 High-Speed, must be plugged in to USB 2.0 Host Port. If this product is plugged into the USB 1.1 Host port, this product will only have USB 1.1 Full-Speed.

Introduction：

This is a 3.5” 1394+USB2.0 combo hard disk enclosure,it will offer an easy to carry Interface solution for user to add more storage & portable with PC.

Features & Specification：

1. USB INTERFACE:

- ▲ **Interface standard: USB Ver.2.0 /IEEE1394A**
- ▲ **USB connectors/cable: 1 USB B type female connector and 1 USB A TO B Cable**
- ▲ **Data transfer rate: USB2.0:High Speed at 480Mb/sec and Full speed at 12Mb/sec**
- ▲**Power LED : 1 LED for Power in.(Bus or Self power)**
- ▲**Activity LED: 1 LED for Hard Disk READ/WRITE**
- ▲**For one 3.5 inch Hard Disk only**
- ▲**EMI : CE & FCC**

2. IEEE1394A INTERFACE

- ▲ **Data Transfer Rate : 100,200,400 (Mb/S).**
- ▲ **IEEE Standard :IEEE 1394, PI394a Compliant.**
- ▲ **Connectors : 2PORT x 6 to 6pin, IEEE 1394 Standard.**
- ▲ **Separate cable bias (TPBIAS) and driver termination voltages supply for each port.**
- ▲ **Truly Plug & Play automatic system configuration.**
- ▲ **Ideal for backup , storage Data files .**

Requirements：

- ✧ **IBM PC/AT Compatible or Apple iMac.G4**
- ✧ **USB 2.0 Host card or USB 2.0 HUB device/IEEE1394 PCI CARD**
- ✧ **Windows 2000, Windows XP, Windows ME or Windows 98SE operating system /Mac OS 10.X**

Packing contents :

Item
3.5" HDD BOX ENCLUSURE
USB A TO B CABLE/ 1394 6PIN TO 6PIN CABLE
Screw (AFFIX HDD) SET
POWER ADAPTER (12V)
CD DRIVER (WITH MANUAL)

Chapter 1

Hardware Installation：

1. Open the combo hard disk enclosure



2. Insert & assemble 3.5”hard disk :please advirt aspect of cable as below view:

3. Please screwing HDD together with housing for two Side of HDD.

4.Assemble the top case as below

5.Close the case as below view:

Chapter 2

Software Installation：

Supported OS

Windows XP, Windows 2000, Windows ME, Windows 98SE (Windows XP and Windows ME&Win2000 works without driver) and Mac 10.x . The drivers supplied with this distribution are for Win98SE only.

Windows XP and Windows ME and windows 2000

You do not need to install any driver if your computer's O.S is Windows XP or Windows ME and Win2000 since the two O.S come with the supporting driver. Turn On your computer, system will auto detect and attempt load driver on "and appear new disk icon with "My Computer" icon on pc desktop

Windows 98SE INSTALLATIONAL:

1. Please insert CD into the CD-ROM
2. Please enter "My computer" and double click CD-ROM icon
3. Please double click "driver" folder
4. Please double click " setup.exe" file as below:



5. Please click ” Next” as below:


Myson 881x USB Mass Storage - InstallShield Wizard
Welcome to the InstallShield Wizard for Myson 881x USB Mass Storage
The InstallShield® Wizard will install Myson 881x USB Mass Storage on your computer. To continue, click Next.
< Back
Next >
Cancel

6. Please select “I accept the terms of the licenese agreement”and click “Next”

Myson 881x USB Mass Storage - InstallShield Wizard
License Agreement
Please read the following license agreement carefully.
Thank you to choose Myson Century CS881x USB Mass Storage.
After you run this setup wizard,
you have to restart your computer to make this installation complete.
I accept the terms of the license agreement
I do not accept the terms of the license agreement
InstallShield
< Back
Next >
Cancel

7. Please select “Complete” and click “Next”


Myson 881x USB Mass Storage - InstallShield Wizard
Setup Type
Select the setup type to install.
Please select a setup type.
Complete
All program features will be installed. (Requires the most disk space.)
Custom
Select which program features you want installed. Recommended for advanced users.
InstallShield
< Back
Next >
Cancel

8. Please click “Install” for start to install driver


Myson 881x USB Mass Storage - InstallShield Wizard
Ready to Install the Program
The wizard is ready to begin installation.
Click Install to begin the installation.
If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard.
InstallShield
< Back
Install
Cancel

9. When the drvier is install final,please click “Yes” to reatart PC.


Myson 881x USB Mass Storage - InstallShield Wizard
Setup Complete
you must reboot your computer to finish the setup
Yes, I want to restart my computer now.
No, I will restart my computer later.
Remove any disks from their drives, and then click Finish to complete setup.
< Back
Finish
Cancel

10.Please click “settings”then select “Removable”item in “device manager” for system and click “ok”



11. Windows will ask you to restart PC ,please click “yes”


System Settings Change
You must restart your computer before the new settings will take effect.
Do you want to restart your computer now?
Yes
No

12. “My computer” will appear “Removable Disk”,please format HDD and start to use it.